

2022/23

GATE LOCKS | GATE CLOSERS | GATE HINGES

SIGNET



LOCKS AND HARDWARE FOR METAL GATES



Set up your account online at
www.signetlocks.co.uk



Call us today on
01243 552066



Email our dedicated team at
sales@signetlocks.co.uk




We specialise in quality hardware for wooden and metal gates, including mechanical gate locks, digital locks and gate hinges. Whatever you need, our expert team can advise you on the most suitable product for any application.



The best proof of quality is the fact that our original designs are still happily working on gates after 20 years, and more!

www.signetlocks.co.uk



Call the Signet Team today on 01243 552066 or email sales@signetlocks.co.uk

★★★★★
Expert advice
Quality products

GATE LOCKS	4
GATE CLOSERS	32
GATE HINGES	40
PANIC HARDWARE	49
GATE ACCESSORIES	52
ELECTRIC GATE HARDWARE	56



We provide excellent customer service

We're intent on bringing you the most speedy and efficient service, from your initial enquiry and order right through to delivery via our courier networks.



We manufacture high quality products

The majority of the products in this catalogue are manufactured by us, right here in the UK! We guarantee all our products for at least a year.



Expertise and technical knowledge

With over 20 years experience in the trade, whatever the problem, we can most likely advise on the best solution for you.



ORDER BEFORE 2:30PM FOR NEXT DAY DELIVERY.

UK mainland: £8.95 next day delivery. For special deliveries or locations outside of UK mainland, please contact our customer service team. We're here to help you!





All our gate locks are focused on ease of fitting and high durability. This is particularly true of our own Gatemaster range, designed and built in the UK.



GATE LOCKS



Strong & simple

For both installer and end user. Our strong and durable locks endure extreme weather and heavy wear and tear.



Tried & tested

To the highest standards with a variety of quality tests including corrosion and cycle testing.



Adaptable & adjustable

Our gate locks give you robust solutions for all situations, including easy retro-fitting options.



BOLT-ON LOCKS — SUPERLOCK

The Gatemaster Superlock combines style and durability with an ultra slim case to be a world-class bolt-on lock range.

6



BOLT-ON LOCKS — SELECT PRO

Our original range of gate locks, the Select Pro's traditional square design and long throw has been popular for many years.

12



SURFACE MOUNTED LOCKS

Suitable for wooden and metal gates, our surface fixed locks mount to the face of the gate, ideal for gates with a solid infill.

17



WELD IN LOCKS

Cut a section of the gate frame out and weld in the mild steel case supplied. A secure and unobtrusive method of fitting a lock.

22



FIRE BRIGADE LOCKS

Has a fire brigade lock been specified? We can adapt the majority of our products to take a fire brigade key, contact us for more details.

26



MORTICE LOCKS

When you require a lock to be hidden in the gate frame, a mortice lock is an ideal solution.

28



SLIDING GATE LOCKS


As the name suggests, these locks have hooks for use on sliding gates.

31

SIGNET

Superlock bolt-on quick exit key access

Require a gate lock that facilitates a quick exit from a gate? The Superlock quick exit has a green push pad to allow for easy exit. This version of the lock comes with a key entry from the outside.



AVAILABLE VERSIONS

10mm-30mm gate frame

BQK1030L Left hand

BQK1030R Right hand


40mm - 60mm gate frame

BQK4060L Left hand

BQK4060R Right hand

Superlock bolt-on quick exit no outside access

Where a gate is only used for exiting a property, the no access quick exit lock is a perfect solution. With a green quick exit pad from the inside only, it provides a secure and unobtrusive locking mechanism.



AVAILABLE VERSIONS

10mm-30mm gate frame

BQ1030LNA Left hand

BQ1030RNA Right hand


40mm - 60mm gate frame

BQ4060LNA Left hand

BQ4060RNA Right hand

Superlock bolt-on quick exit digital access

For communal areas where easy exit is needed the digital access quick exit lock is a great solution. It has the benefit of keyless entry and an easily visible push pad to exit from the inside.



AVAILABLE VERSIONS

10mm-30mm gate frame

BQDG1030L Left hand

BQDG1030R Right hand

40mm - 60mm gate frame

BQDG4060L Left hand

BQDG4060R Right hand


Superlock quick exit shroud



This security shroud is designed to prevent access from the outside of the gate, meaning outsiders cannot reach around and operate the lock. No fixings are required, simply bolt on the shroud in front of the push pad. To be used in conjunction with our quick exit Superlocks only.

BQS Superlock quick exit shroud

Round bar adapter



The round bar adapter enables any of the Superlock range to be easily fitted to a round gate section. The stainless steel construction ensures longevity and corrosion resistance.

AVAILABLE VERSIONS


RBA Round bar gate adapter

RBAK Round bar post adapter

SIGNET

Superlock keep



This keep works with all of the Superlock range. Simply mount the gate slam plate onto the gate frame when fixing the lock and use the expanding fasteners to fix the keep onto the gate post. Requires a minimum of a 38mm gap between the gate and the post.



BSK Superlock keep

Superlock interlocking keep



The clever interlocking design of this keep means that the gate cannot be levered off the post once the gate is closed. One section bolts in front of the lock and the post bracket is easy to fit with the two expanding fasteners. Requires a minimum of a 38mm gap between the gate and the post.



BSKS Superlock interlocking keep

Superlock gapless keep

The gapless keep is a great option when there is a small gap between the gate and the post, acting as both a security measure and a gate stop. Simply drill two holes in the post and bolt on with our innovative expanding fasteners. Requires a minimum of a 15mm gap between the gate and the post.



BSKG Superlock gapless keep

Superlock handles



R Round handle set



P Profiled handle set



F Flat sided handle set



O Ornamental handle set



T Twisted handle set



RS Round handle set, silver



PS Profile handle set, silver



SSH Stainless steel handle set



OK Octagon knob handle set

SIGNET

Select Pro bolt-on long throw keylatch

When the gate is closed the lock latches shut and can only be opened with a key. Ideal for securing communal gates, the gate is secure every time it is closed.



Weather resistant




Auto latching



3 Keys



Reversible handing



AVAILABLE VERSIONS

SBKLLT1601	10mm-30mm gate frames
SBKLLT1602	40mm-60mm gate frames

Select Pro bolt-on deadlock

Two lengths of stainless steel deadbolt available. Use the key to secure the gate with a single 30mm deadlocking action.



Weather resistant




Deadlocking



3 Keys



Euro cylinder



AVAILABLE VERSIONS

SBD1601	10mm-30mm gate frames
SBD1602	40mm-60mm gate frames

Select Pro bolt-on latch

Convenient method of holding a gate closed, giving a professional finish to any gate. This lock latches 13mm into the gate post.



Weather resistant




Auto latching



Handles included



No locking function



AVAILABLE VERSIONS

Straight handle - Modern style

SBL1601AH	10-30mm gate frames
SBL1602AH	40-60mm gate frames

Twisted handle - Traditional style

SBL1601TDH	10-30mm gate frames
SBL1602TDH	40-60mm gate frames

Select Pro bolt-on latch deadlock

Professional and stylish gate lock which holds your gate shut. This lock latches 13mm, turn the key to extend the latchbolt to 30mm into the gate post for maximum security



Weather resistant




Auto latching



Deadlocking



Reversible handing



AVAILABLE VERSIONS

Straight handle - Modern style

SBLD1601AH	10-30mm gate frames
SBLD1602AH	40-60mm gate frames


Twisted handle - Traditional style

SBLD1601TDH	10-30mm gate frames
SBLD1602TDH	40-60mm gate frames

SIGNET

Select Pro bolt-on quick exit key access

This quick exit gate lock is designed to allow rapid exit through gates. Designed for metal gates, the unit is robust, yet simple to install. The unit automatically latches shut when the gate is closed.



Right hand lock shown





AVAILABLE VERSIONS

10mm-30mm gate frame	
SBQEKL01	Left hand
SBQEKL01	Right hand
40mm - 60mm gate frame	
SBQEKL02	Left hand
SBQEKL02	Right hand

Select Pro bolt-on quick exit one sided access

The quick exit one sided gate lock has a push pad only on the inside, allowing for exit from the inside only. The lock automatically latches shut when the gate is closed. Simply drill 3 holes in the gate frame to fit.



Right hand lock shown




AVAILABLE VERSIONS

10mm-30mm gate frame	
SBQEL01NA	Left hand
SBQER01NA	Right hand
40mm - 60mm gate frame	
SBQEL02NA	Left hand
SBQER02NA	Right hand

Select Pro bolt-on quick exit digital access

This quick exit gate lock is designed to allow rapid exit through gates. Designed specifically for metal gates, the unit is robust yet simple to install. Entry from the outside is via a button keypad. The unit automatically latches shut when the gate is closed.



Right hand lock shown





AVAILABLE VERSIONS

10mm-30mm gate frame	
SBQEDGL01	Left hand
SBQEDGL01	Right hand
40mm - 60mm gate frame	
SBQEDGL02	Left hand
SBQEDGL02	Right hand

Select Pro quick exit shroud

This security shroud restricts access to the green push pad from the outside. Universally handed, the shroud just bolts between the lock and the frame, no extra fixings needed.



SBQES

Quick exit shroud

Select Pro digital gate lock

A mechanical, marine grade digital gate lock with many unique features.

- Weather resistant
- Auto latching
- No power needed
- Combination mechanism



AVAILABLE VERSIONS


DGL01	10mm-30mm gate frames
DGL02	40mm-60mm gate frames



Select Pro digital gate lock single sided

Keyless entry is achieved with this single-sided digital keypad lock. Featuring a rear lever handle, it is easy and quick to operate from the inside.

- Weather resistant
- Auto latching
- No power needed
- Combination mechanism



AVAILABLE VERSIONS

10mm-30mm gate frame	
DGLS01L	Left hand
DGLS01R	Right hand
40mm - 60mm gate frame	
DGLS02L	Left hand
DGLS02R	Right hand




Shown in gate with SBQES shroud



Superlock surface fixed digital gate lock

A marine grade digital gate lock designed for easy surface fitting to wooden or metal gates. Digital gate locks are a convenient method of locking a gate as no keys are required to open it. The code can be changed to any combination needed.



- Stainless steel
- Auto latching
- Combination mechanism
- SURFACE MOUNTED
- KEEP INCLUDED
- No power needed





AVAILABLE IN 2 VERSIONS

BDGWL	Left hand
BDGWR	Right hand

Superlock surface fixed digital gate lock single sided

The Superlock BDGSW is a single-sided keypad lock made to fit either metal or wooden gates. It restricts outside access with the keypad, but allows you to exit the gate by just operating the rear lever handle on the inside.



- Stainless steel
- Auto latching
- Combination mechanism
- SURFACE MOUNTED
- KEEP INCLUDED
- No power needed








AVAILABLE IN 2 VERSIONS

BDGSWL	Left hand
BDGSWR	Right hand

GATEMASTER surface fixed digital gate lock

The DGLW is a mechanical keypad lock suitable for both metal and timber gates. It has keypads on both sides and is a secure solution for your gate.

-  Weather resistant
-  Auto latching
-  SURFACE MOUNTED
-  Combination mechanism



Inside

Outside







AVAILABLE VERSIONS

DGLWL	Left hand
DGLWR	Right hand

GATEMASTER surface fixed digital gate lock single sided

Made in stainless steel, this keypad is built to last. Suitable for metal or timber gates, this single-sided lock lets you exit by operating the internal lever handle.

-  Weather resistant
-  Auto latching
-  SURFACE MOUNTED
-  Combination mechanism



Inside

Outside




AVAILABLE VERSIONS

DGLSWL	Left hand
DGLSWR	Right hand

GATEMASTER quick exit surface fixed gate lock





The surface fixed quick exit lock fits easily to wooden or metal gates. Simply drill 3 holes through the gate frame and screw to the inside of the gate. Outside access is via a marine grade digital keypad.



Inside

Outside




-  Stainless steel
-  Auto latching
-  SURFACE MOUNTED
-  Push to exit

AVAILABLE VERSIONS

SBQEDGLWL	Left hand
SBQEDGLWR	Right hand

Superlatch surface fixed digital latch





The Superlatch digital is a simple push button locking option that is a great alternative to fitting low cost keypads to your gate. With a marine grade keypad on the outside of the gate and a fully stainless steel latch on the inside, the innovative design enables easy and secure locking without a complicated installation process. This product is designed for inward opening gates.



Inside

Outside



-  Stainless steel
-  Reversible handing
-  SURFACE MOUNTED
-  Combination mechanism

SLDS	Digital Superlatch
------	--------------------



GATEMASTER gate locking bolt

A simple and robust gate lock which fits to the surface of the gate. Easy to install by simply screwing onto the inside of a gate. Suitable for both metal and wooden gates. Requires you to turn the key behind you to deadlock the gate.



Stainless steel



Deadlocking



SURFACE MOUNTED





3 Keys



Reversible handing



KEEP PLATE INCLUDED



The lock eurocylinder which extends from the back of the lock is available in 2 lengths for different gate thicknesses.




Shown in gate with slotted lockplate (GLBS, see opposite page).

AVAILABLE IN 2 VERSIONS

GLB	Eurocylinder extends 24mm
GLB02	Eurocylinder extends 60mm

Screw fixed plates for GLB



GLBST

Slotted screw fixed lock plate



SSE

Stainless steel escutcheon

Weldable plates for GLB

A keep plate is welded to the second gate so that it passes through the slot in the lock plate and is secured with the deadbolt. This ensures the gates can not be 'sprung' open.

Weldable keep plate for use on single gates. Supplied with screws for fitting the lock.

Optional keep plate for welding (stainless steel screw fixed version supplied with the lock).



GLBS

Slotted lock plate



GLBP

Standard lock plate



GLBK

Weldable steel keep plate



TRUST THAT'S EARNED

Trading with an enviable good reputation for over 20 years, we're a company you can trust with your security.



HIGHEST QUALITY

Our Gatemaster Range is designed and built in the UK, for long-lasting and trouble-free use.



FRIENDLY EXPERTS

Our helpful team is happy to share our technical knowledge with you — we have the answers you need.




INNOVATIVE THINKING

Our expert team is always looking to develop a novel and improved solution for any situation.

SIGNET

GATEMASTER weld-in long throw keylatch

The weld-in version of our popular long-throw keylatch. Holds the gate securely shut when you close the gate, simply turn the key to open it. Ideal for securing communal gates, the gate is secure every time it is closed.




AVAILABLE VERSIONS	
SWKLLT1630	30mm width
SWKLLT1640	40mm width
SWKLLT1650	50mm width
SWKLLT1660	60mm width



GATEMASTER weld-in deadlock

Solid and reliable lock with a single keyed deadlocking action that moves 30mm with one turn of the key.




AVAILABLE VERSIONS	
SWD1630	30mm width
SWD1640	40mm width
SWD1650	50mm width
SWD1660	60mm width



GATEMASTER weld-in latch deadlock


Easy-to-fit weld in lock that can be latched shut and can be deadlocked for added security. The lock comes with three keys as standard.



AVAILABLE VERSIONS	
SWLD1630	30mm width
SWLD1640	40mm width
SWLD1650	50mm width
SWLD1660	60mm width

GATEMASTER double throw deadlock


This GATEMASTER deadlock is simply welded into the gate, and has proved to be extremely reliable.



AVAILABLE VERSIONS	
GD25	25mm width
GD30	30mm width
GD40	40mm width
GD50	50mm width
GD60	60mm width

GATEMASTER double throw latch deadlock

A traditional latch deadlock, for use when handles are required. Perfect for use in traditional wrought iron gate designs.



Handle options available on page 10.

AVAILABLE VERSIONS	
GLD30	30mm width
GLD40	40mm width
GLD50	50mm width
GLD60	60mm width



Cylinder escutcheons

Stainless steel escutcheon

Manufactured from stainless steel, this escutcheon helps protect the cylinder and covers up the hole made when installing the lock. Dimensions: Height 68mm x Width 32mm



SSE	Stainless steel escutcheon
-----	----------------------------

Security escutcheon to weld

The security escutcheon protects the cylinder from attack. Commonly used with the weld-in locks to increase security. Height 46mm x Width 30mm.



AVAILABLE VERSIONS	
WSE04	4mm thickness
WSE08	8mm thickness
WSE12	12mm thickness

GATEMASTER weldable steel lock case for digital locks

A mild steel weldable box fully prepared to receive 14 button digital keypads.





Mild steel case for welding

AVAILABLE IN 3 WIDTHS	
DLC30	30mm
DLC40	40mm
DLC50	50mm

Mechanical digital lock

Simple digital keypads for use with our weldable steel case or as a stand-alone product. The kit includes the tubular mortice latch.




AVAILABLE IN DOUBLE OR SINGLE SIDED	
SK	Single sided keypad
DK	Double sided keypad

Marine grade suitable for use in exposed and marine locations

Marine grade mechanical digital lock

These 14 button keypads are produced using materials suitable for use in exposed and marine locations. Supplied with tubular deadlocking latch.



AVAILABLE IN TWO VERSIONS	
SKM	Keypad on one side, handle on the other
DKM	Keypad on both sides

Single keypad with rim deadlock

Excellent for use when a deadlock is required along with a digital keypad. This single sided lock ensures you can exit the gate from the inside using the turn knob on the back.



SKR	Single keypad with rim deadlock
-----	---------------------------------

Fire brigade locks and keys

Fire brigade locks

We can adapt a range of our gate locks to use fire brigade keys, making fire brigade locks an easy option for metal gates.

Bolt on locks

Latch deadlock



Deadlock



Quick exit key access



Weld in locks

Latch deadlock



Deadlock



Keylatch




Fire brigade key


We supply FB1 and FB2 fire brigade key styles.

AVAILABLE IN TWO VERSIONS


KEY FB1	FB1 key
KEY FB2	FB2 key




Handle options




R Round handle set




P Profiled handle set




F Flat sided handle set




O Ornamental handle set




T Twisted handle set




RS Round handle set, silver




PS Profile handle set, silver



SSH Stainless steel handle set





OK Octagon knob handle set



AH Alloy handle set

GATEMASTER mortice hook lock

The Gatemaster mortice hook lock is a unique stainless steel lock that incorporates a latch and deadlock in one single-action bolt. Designed for use on a 40x40mm box section, once the section is cut to receive the lock, it can simply be slid in and fixed without any drilling and tapping of the gate needed.




Top – gate with full cover and ornamental (O) handles
Bottom – gate with dual cover and profiled (P) handles



AVAILABLE VERSIONS	
ML4DCP	Kit with dual cover, profiled handles
ML4DCO	Kit with dual cover, ornamental handles
ML4FCP	Kit with full cover, profiled handles
ML4FCO	Kit with full cover, ornamental handles

Mortice lock keep (included in kit)

This stainless steel keep perfectly complements the mortice hook lock, ensuring security and giving the gate post a finished look.



MLK Mortice Lock Keep

ML4 compatible handles



Profiled handle
SEE PAGE 27





Ornamental handle
SEE PAGE 27



Stainless steel handle
SEE PAGE 27

Narrow auto deadlocking latch



A narrow lock which latches shut and automatically deadlocks.



NAL Narrow auto deadlocking latch

Narrow latch deadlock


A narrow latch deadlock with a separate latch and deadlock for mortising into a gate frame.



NLD Narrow latch deadlock

Narrow hook lock


A narrow lock with a strong hooked deadbolt that can be used on both swing and sliding gates.



NHL Narrow hook lock

Narrow deadlock

A narrow lock with a large deadbolt that drops down into position.




ND Narrow deadlock

Select Pro bolt on lock with forend

This lock is excellent for wooden gates where the long throw means that if the gate contracts, the bolt is still long enough to secure the gate.



Shows fitted in gate




AVAILABLE VERSIONS

SBD1601F	Deadlock
SBLD1601F	Latch deadlock
SBKLLT1601F	Keylatch

Quality 5 lever deadlock with brass forend

Common lock — The single deadlock is operated using a key. Conforms to BS3621, deadbolt moves 20mm. This lock is operated using a 5 lever key.




AVAILABLE VERSIONS

5DL	5 lever deadlock
5DL KA	5 lever deadlock, keyed alike
5DLC	Steel case for 5 lever deadlock

Quality 5 lever sashlock with brass forend

Common lock — The latch is operated by the handle and the deadlock is operated by the key. This lock takes a 5 lever key which some jobs may require.




AVAILABLE VERSIONS

5SL	5 lever latch deadlock
5DL KA	5 lever latch deadlock, keyed alike
5DLC	Steel case for 5 lever sashlock

GATEMASTER hook lock and digital lock kit

This kit comprises a hook lock, a pair of digital keypads and a weldable steel case. Used on sliding gates which need to be latched shut for security. Also keyed both sides for deadlocking the hook.



AVAILABLE VERSIONS

Double sided version - keypad both sides	
HLDK 30	30mm width
HLDK 40	40mm width
HLDK 50	50mm width
Single sided version - keypad one side, handle the other side	
HLSK 30	30mm width
HLSK 40	40mm width
HLSK 50	50mm width

Hook lock for sliding gates

This substantial hook lock is excellent value. The locating pin prevents the gate being released by lifting.



HL

Hook lock

Hook lock box

Weldable box in zinc finish steel for use with the HL hook lock. The hook lock is fitted in a slot in the 40mm or 50mm box gate frame and the lock box is welded onto the back of the gate frame.



AVAILABLE VERSIONS

HLB40	For 40mm gate frames
HLB50	For 50mm gate frames



Our gate closers are easily adjustable and built for all environments and gate sizes, and are safe and quiet in use.



GATE CLOSERS



Smooth & slow

Gatemaster gate closers have internal dampening to ensure slow and soft closing, to protect small children or the elderly.



No more traps

The APS Hydraulic gate closer keeps a constant gap between gate and hinge side post, reducing risk of finger trapping.



Fully adjustable

There is simple force adjustment in our gate closing gas strut, and the APS Hydraulic gate closer is fully speed adjustable, with a main speed adjuster and a latching speed adjuster.



HYDRAULIC GATE CLOSER

- Vandal resistant closer that fits underneath the gate
- Adjustable closing speed
- Excellent for school and playground gates

34



GATE CLOSING STRUT

- Reliable gas strut mechanism
- Great value gate closer
- Easy to retro fit to a wide range of applications

36



SPRING CLOSERS

- Simple and low cost method to close a gate

37



SURFACE MOUNTED CLOSERS

- Controllable close
- Mounted onto the surface of the gate

38



RISING HINGES

- Relies on gravity to close the gate
- Weldable hinge which lifts the door as it's opened

39



SPRING HINGES

- Fits like a standard butt hinge
- Spring loaded hinges ensure the door is kept closed


39

SIGNET


GATEMASTER APS hydraulic gate closer & hinge kit

This hydraulically controlled gate closer and top hinge kit has been developed using proven technology to provide safe and reliable gate closing.

The closer and top hinge kit is specially designed for incorporating into gates that need to be self-closing. Comes with either a standard wrap-around hinge (APS) or a stop hinge (APSSTOP) that prevents the gate opening more than 100°.



APSSTOP shown in gate




AVAILABLE VERSIONS

APS	Standard hinge
APSSTOP	Gate closer with 100° stop hinge



GATEMASTER APS hydraulic gate closer bolt on

The hydraulic closer makes sure your gate closes reliably and safely with a dampened and adjustable speed. This version can be bolted on using the supplied fixings.



APSW	Screw fixed hydraulic closer
------	------------------------------



TRUST THAT'S EARNED

Trading with an enviable good reputation for over 20 years, we're a company you can trust with your security.



HIGHEST QUALITY

Our Gatemaster Range is designed and built in the UK, for long-lasting and trouble-free use.



FRIENDLY EXPERTS

Our helpful team is happy to share our technical knowledge with you — we have the answers you need.



INNOVATIVE THINKING





Our expert team is always looking to develop a novel and improved solution for any situation.

SIGNET

GATEMASTER gate closing strut

The reliable and long lasting GSB gate closer is ideal for closing gates up to 80kg. Simply weld or screw fix the brackets to the gate and post and fit the closer to the brackets. The unique hydraulic damping ensures that the gate will close slowly.

Weld-fix or screw-fix brackets are available, giving the option for fitting to metal or wooden gates.


-  Weather resistant
-  Controlled close
-  No power needed
-  Surface mounted

Screw-fix version (GSBW) shown fitted to gate



AVAILABLE VERSIONS


GSB	Weld-fix bracket
GSBW	Screw-fix bracket



GATEMASTER light duty spring closer

The light duty closer is a popular product for access gates that need to be kept closed for safety reasons. Can be easily welded to small gates and fabrications for a simple and reliable close. The LDSGC closer is handed, so make sure you get the correct handing before ordering.

-  Weld in
-  Enhances safety
-  Adjustable
-  Spring close



AVAILABLE VERSIONS

LDSGCL	Left hand
LDSGCR	Right hand

Expert advice, quality products, easy to access online! www.signetlocks.co.uk



ONLINE ORDERING

Configure and order all your items via the website



TECHNICAL HELP

Detailed knowledge at your fingertips



TRADE PRICES

Set up your trade account to get the best prices



PRODUCT NEWS

Be the first to know about new product launches.



Surface mounted gate closer

This gate closer has two variable speeds for closing and latching. It also has the facility to have a hold back to keep the gate open at 90 degrees. For gates up to 50kg.

This closer is only suitable if the pivot point is on the back of the gates. If it is in line with the gate the SMR below would be required.




SMC

Surface mounted gate closer

Surface mounted gate closer with slide rail

The same closer as above but with an additional slide rail to enable easy fitting in most situations.



SMR

Surface mounted gate closer with slide rail

Door closer

To be used on internal doors, ensuring a slow and reliable close.



AVAILABLE VERSIONS

DC3	80kg capacity
DC4-6	120kg capacity
DC6-7	140kg capacity

Adjustable speed gate closer

This gate closer has a unique adjusting system which enables the closing speed to be controlled simply by turning the cover tube. Suitable for gates up to 80kg.



GSA

Adjustable speed gate closer

Stainless steel gate closing spring

A simple gate closing spring manufactured from stainless steel.



SSS

Stainless steel gate closing spring

Spring gate closer

Closes gates up to 40kg, adjustable force, includes roller bracket to guide spring arm.



SGC

Spring gate closer

Rising hinges set

Heavy duty – a well proven product. This hinge set can close gates and doors up to 250 kg in weight. Used as a pair, one hinge lifts the gate as it opens.

Maximum vertical movement – 25mm at 180 degrees opening. 38mm dia. Designed to be welded in place.



Weld in



Heavy Duty



AVAILABLE IN 2 VERSIONS

RHSRH	Right hand
RHSLH	Left hand

Spring hinges single action

An adjustable spring hinge for use on doors, one way opening.



Screw fixed



Spring close



AVAILABLE VERSIONS

SHS100	Steel 100mm – 15 kg gate
SHS125	Steel 125mm – 25 kg gate
SHS175	Steel 175mm – 45 kg gate
SHSSS100	Stainless Steel 100mm – 22 kg gate
SHSSS125	Stainless Steel 125mm – 27 kg gate
SHSSS150	Stainless Steel 150mm – 40 kg gate

Gate closing hinge kit


Simple and robust, weldable gate hinge with integral adjustable spring.



Weld in



Spring close



AVAILABLE IN 2 VERSIONS

CHKS	Square gate frame
CHKR	Round gate frame

Spring hinge double action

An adjustable spring hinge for use on doors, opens both ways.



Screw fixed



Spring close



AVAILABLE VERSIONS

SHD125	Steel 125mm – 25 kg gate
SHD175	Steel 175mm – 45 kg gate
SHDSS100	Stainless steel 100mm – 22 kg gate
SHDSS150	Stainless steel 150mm – 40 kg gate

SIGNET



We supply a comprehensive range of hinge hardware for gates and doors. If you need replacement hinges, we have a variety of size, material and heavy-duty options to match every requirement.



GATE HINGES




This includes screw-fixed, weld-on and adjustable, often with heavy-duty options. We believe that only the toughest gate hinges are good enough. Facing potentially harsh weather conditions and often constant wear through opening and closing, hinges face a lot of strain. Safe, reliable and long-term operation is crucial. **We particularly recommend the Superhinge (page 42) and the Stop Hinge Set (page 45).**



SUPERHINGE

- Heavy duty, adjustable gate hinge that has been tested to over 500,000 openings


42



HOOKS AND EYES

- A simple, strong hinge
- Very popular choice

43



WELD IN HINGES

- Adjustable hinges with weldable brackets

44



PIVOTS AND CLAMP HINGES

- The pivot point in the middle of the gate ensures gaps don't get smaller, reducing finger traps on the gate
- Heavy duty – can take up to 1000kg

45



BARREL/UNIVERSAL HINGES

- Excellent for steel doors and lighter gates where the hinges are on the face of the gate
- Heavy duty barrel hinges are also available

46



FLAG HINGES

- Traditional, heavy duty method of hinging a gate, reduces finger traps

47



BUTT HINGES

- A conventional door hinge which is often used on gates


48

SIGNET


GATEMASTER Superhinge

SIGNET SAYS: *If your gate is being used on a regular basis, the Superhinge is the perfect product as it has been tested to over 500,000 openings without showing any wear.*


The new GATEMASTER Superhinge is the most durable gate hinge in the range. The hinge incorporates an integral brass bearing and requires little to no maintenance once fitted. Simply grease every 6 months by using the integrated grease point.




Weld in




Weather resistant




Heavy Duty





Low friction



Vandal resistant



Adjustable



			A	B	C	D	E	F	Load x2
SH16	M16 thread	SH16	36mm	36mm	54mm	15mm	58mm	100mm	150kg
SH20	M20 thread	SH20	40mm	40mm	62mm	16mm	66mm	125mm	300kg
SH25	M24 thread	SH25	57mm	40mm	69mm	20mm	80mm	150mm	450kg
SH30	M30 thread	SH30	64mm	45mm	77mm	24mm	94mm	200mm	900kg

Weld-on gate eyes, self colour

Pin dia (A) x distance from centre of hole to back edge (B).



AVAILABLE SIZES	A	B
E12	12mm	25mm
E16	16mm	40mm
E19	19mm	38mm
E22	22mm	38mm
E25	25mm	44mm
E32	32mm	50mm

Weld-on gate hooks, self colour

Pin dia (A) x distance from centre of pin to back edge (B).



AVAILABLE SIZES	A	B
H12	12mm	25mm
H16	16mm	40mm
H19	19mm	38mm
H22	22mm	38mm
H25	25mm	44mm
H32	32mm	50mm

Adjustable gate eyes with 2 nuts


Pin dia (A) x length from middle of eye to end of thread (B) x thread dia (C).



AVAILABLE SIZES	A	B	C
AE 12 100	12mm	100mm	M12
AE 12 150	12mm	150mm	M12
AE 16 100	16mm	100mm	M16
AE 16 150	16mm	150mm	M16
AE 19 100	19mm	125mm	M20
AE 19 150	19mm	150mm	M20
AE 19 200	19mm	200mm	M20
AE 22 150	22mm	150mm	M20 Galv
AE 22 200	22mm	225mm	M20 Galv
AE 25 150	25mm	150mm	M24 Galv
AE 25 200	25mm	225mm	M24 Galv
AE 32 200	32mm	225mm	M30 Galv

Push fit security collars

These push-on security collars will prevent gates being lifted off. Adds a pleasing aesthetic touch to gate hinges.




AVAILABLE SIZES	
SCP12	For 12mm pin
SCP16	For 16mm pin
SCP19	For 19mm pin
SCP22	For 22mm pin

Long thread hinge

A long thread, adjustable hinge to suit metal gates. These hinges are more aesthetically pleasing than using standard hooks and eyes, and are a cost-effective solution.


Thread dia (A) x overall length (B) x thread length (C).



AVAILABLE SIZES	A	B	C	D	Load x2
LT16	M16	140mm	100mm	28mm	50kg
LT18	M18	180mm	148mm	38mm	65kg
LT22	M22	210mm	165mm	40mm	100kg

Weld-in nut hinge


Removable hinge pin is retained with a strong circlip. Electrogalvanised with mild steel weld parts.



SIZES	A	B	C	D	Load x2
WN18	M18	75mm	36mm	38mm	65kg
WN22	M22	85mm	46mm	40mm	100kg
WN24	M24	97mm	50mm	47mm	110kg


Captive nut hinge

To adjust, slacken off the two lock nuts and lock them together, rotate them to adjust the gate and then reclamp them against the heavy washer.




SIZES	A	B	C	D	Load x2
CN18	M18	75mm	38mm	35mm	65kg
CN22	M22	87mm	46mm	40mm	100kg

Extra heavy duty hinge




EHDH Extra heavy duty hinge with sealed bearings

Large thread and adjustable nut with weld-in captive washer. This hinge can support gates up to 600kg per pair.




SIGNET SAYS: Need to fit a gate stop but worrying that it will be a trip hazard? This hinge has a built-in stop to prevent the gate being forced back, eliminating the need for a separate stop.

Durable hinge kit designed for welding into gates. Incorporates an integral stop meaning the gate does not open more than 100°. Also creates a non-reducing gap which is perfect for playground or communal gates.



Round clamp hinge


To adjust, slacken off the two lock nuts and lock them together, rotate them to adjust the gate and then reclamp them against the heavy washer. Thread dia (A) x overall length (B) x thread length (C) x hole dia (D).



SIZES	A	B	C	D	Load x2
RC18	M18	103mm	46mm	30mm	50kg
RC22	M22	116mm	52mm	35mm	80kg
RC27	M27	145mm	65mm	40mm	260kg



Bottom pivot with roller bearing

A low friction pivot for the base of the gate with a large capacity.



SIZES	A	B	C	D	E	Load
TRB50	50mm	40mm	30mm	9mm	48mm	500mm
TRB65	65mm	46mm	35mm	9mm	63mm	1000mm


Stop hinge with bottom pivot



STHBP Extra heavy duty hinge with sealed bearings

Connection pin


For welding into gate frames. For use with round clamp hinges.



SIZES	A	B	C	D	E
CP30	60mm	10mm	40mm	30mm	30mm
CP35	80mm	18mm	45mm	35mm	40mm
CP40	65mm	10mm	45mm	40mm	50mm

Top pivot with ball bearing

Provides a low friction top pivot and has horizontal adjustment. The stub pivot is welded to the top of the gate and the plate and bearing assembly is welded to the post.



SIZES	A	B	C	D	E	F
R50	11mm	33mm	30mm	50mm	111mm	123mm
R65	14mm	36mm	35mm	65mm	111mm	123mm

SIGNET

Hinges

SIGNET SAYS: For smaller fabrications, bullet hinges are excellent. Heavy duty versions are available if required.

The hinge is the most standard (and important) product on a swing gate – and can also be one of the most complicated. Hooks and eyes, round clamp hinges, bullet hinges, flag hinges, butt hinges, C hinges, pivots... you name it, there are endless options.



CALL OUR TEAM OF EXPERTS FOR MORE INFO ON **01243 552066**.

Universal weld on hinges *Ideal when there is a small gap between the door and the frame*

Universal weld on hinge, steel pin, self colour

Length (A) x body dia (B) x pin dia (C).

SIZES	A	B	C
UNI 60S	60mm	10mm	6mm
UNI 80S	80mm	12mm	7mm
UNI 100S	100mm	14mm	8mm
UNI 120S	120mm	16mm	10mm
UNI 140S	140mm	16mm	9mm
UNI 160S	160mm	22mm	14mm
UNI 200S	200mm	22mm	14mm



Universal weld on hinge with grease point, self colour

Length (A) x body dia (B) x pin dia (C).

SIZES	A	B	C
UNI 100SG	100mm	14mm	8mm
UNI 120SG	120mm	16mm	10mm
UNI 140SG	140mm	16mm	9mm
UNI 160SG	160mm	22mm	14mm
UNI 200SG	200mm	22mm	14mm



Universal weld on hinge stainless steel

Length (A) x body dia (B) x pin dia (C).

SIZES	A	B	C
UNI 60SS	60mm	10mm	6mm
UNI 80SS	80mm	12mm	7mm
UNI 100SS	100mm	14mm	8mm
UNI 120SS	120mm	16mm	9mm
UNI 140SS	140mm	16mm	9mm



HEAVY DUTY: *Suitable for heavy swing gates*

Heavy duty weldable hinge

Weldable hinge 190 x 38mm dia with 25mm dia pin and grease point.

RHS D Heavy duty weldable hinge



Pressed hinges *Use up minimal space*

2 part pressed hinge mild steel

2 part lift off hinge with removable steel pin and steel washer. Length (A) x overall width (B) x pin dia (C) x material thickness (D).



SIZES	A	B	C	D
2PH 60	60mm	16mm	5.8mm	2mm
2PH 80	80mm	22mm	8mm	2mm
2PH 100	100mm	22.5mm	10mm	2mm
2PH 140	140mm	26mm	11mm	2.5mm
2PH 170	170mm	30mm	12mm	3mm
2PH 200	200mm	36mm	14mm	3mm

2 part pressed hinge stainless steel

2 part lift off hinge with removable pin and brass washer. Length (A) x overall width (B) x pin dia (C) x material thickness (D).



SIZES	A	B	C	D
2PHS 100	100mm	25.5mm	10mm	2mm
2PHS 140	140mm	29mm	11mm	2.5mm

Flag hinges *Often used in preference to a bullet hinge because they are easier to fit due to the larger surface area for welding*

Flag hinges


2 part lift off hinge with removable steel pin and steel washer. Length (A) x overall width (B) x pin dia (C) x material thickness (D).



SIZES	A	B	C	D
FH60L	70mm	16mm	5.8mm	2mm
FH60R	70mm	22mm	8mm	2mm
FH100L	114mm	22.5mm	10mm	2mm
FH100R	114mm	22.5mm	10mm	2mm
FH140L	155mm	22.5mm	10mm	2mm
FH140R	155mm	26mm	11mm	2.5mm
FH160L	175mm	30mm	12mm	3mm
FH160R	175mm	36mm	14mm	3mm

2 part pressed flag hinge with removable pin

2 part lift off hinge with removable pin and brass washer. Length (A) x overall width (B) x pin dia (C) x material thickness (D).



SIZES	A	B	C	D
FH150	150mm	150mm	11.8mm	3.5mm



**ORDER BEFORE
2:30PM FOR NEXT
DAY DELIVERY.**

SIGNET

3 part pressed flag hinge with removable pin


Three part lift off hinge with removable pin.
Length (A) x overall width (B) x pin dia (C) x material thickness (D).



SIZES	A	B	C	D
3FH110	130mm	110mm	9.8mm	2.5mm
3FH140	160mm	94mm	11.8mm	3mm
3FH170	190mm	110mm	11.8mm	3.5mm
3FH200	220mm	116mm	12.8mm	4mm

Heavy duty undrilled hinge


Strong double pressed hinge, self colour, used for security doors. Height (A) x overall width (B) x leaf thickness (C).



AVAILABLE SIZES	A	B	C
UDH 76	76mm	60mm	4.2mm
UDH 102	102mm	72mm	4.2mm
UDH 150	150mm	98mm	6mm

Stainless steel heavy duty drilled hinge

Stainless steel with bearings.
Height (A) x
Overall width (B) x
Leaf thickness (C).



AVAILABLE SIZES	A	B	C
304 Stainless Steel			
DHS4 75	75mm	50mm	2mm
DHS4 100	100mm	76mm	3mm
DHS4 125	125mm	102mm	3mm
316 Stainless Steel			
DHS6 100	100mm	76mm	3mm



TRUST THAT'S EARNED
Trading with an enviable good reputation for over 20 years, we're a company you can trust with your security.



HIGHEST QUALITY
Our Gatemaster Range is designed and built in the UK, for long-lasting and trouble-free use.



FRIENDLY EXPERTS
Our helpful team is happy to share our technical knowledge with you - we'll have the answers you need.



INNOVATIVE THINKING
Our expert team is always looking to develop a novel and improved solution for any situation.



Panic hardware is vital – and often a legal requirement – for use on gates and doors which are used for fire escape routes, including the iconic “exit push bar”.



PANIC HARDWARE



Our Panic Exit Pad is for general public use, and is fire-rated for both timber and steel doors and gates, to cater for any situation. For external security, you may need the Gatemaster Security Shield, to prevent a pad already in place from being opened from outside. We stock a comprehensive, proven range of easy-to-fit panic hardware, all made in the UK to ensure the highest quality and reliability.

Quick exit locks

In situations where an easy exit through a gate is required, the quick exit gate lock is specifically designed to be easy to fit and use.



See our quick exit locks on pages 8, 9, 14 and 15.

Panic exit bars

Push bar to exit, for use when the general public use a gate. Single door, double door and vertical bolt options.



AVAILABLE VERSIONS	
PBEV	Panic exit bar with vertical bolts
PBED	Panic exit push bar for double doors
PBE	1200mm long for single doors

Outside access device

Fitted in conjunction with a panic bar or pad, this device allows access from outside via the lockable knob.



OADE	Outside access device
------	-----------------------

Panic exit pad

Push lever to exit. Only for use by trained personnel. Can be used on both left hand and right hand gates. Brass latch sticks out 15m.



PPE	Panic exit pad
-----	----------------

Panic exit pad with vertical bolts

Push lever to exit. Only for use by trained personnel. Vertical bolts increase the security.



PPEV	Panic exit pad with vertical bolts
------	------------------------------------

GATEMASTER panic pad security shield

Helps prevent panic pad being operated from outside.



Left hand version shown

AVAILABLE VERSIONS	
PPSSL	Panic pad security shield, left hand
PPSSR	Panic pad security shield, right hand

GATEMASTER panic pad, digital lock and weldable lockcase kit

Panic exit from the inside and access from outside via the keypad. Weld the lock case into the gate and fit the panic pad and digital lock after painting or galvanising.



AVAILABLE VERSIONS	
PPDL 30	30mm width
PPDL 40	40mm width
PPDL 50	50mm width





Well-designed gate accessories provide the stylish and secure finishing touches any gate and property deserves. We supply a variety of gate hardware to complete any gate locking system.




GATE ACCESSORIES



From slidebolts, padbolts and drop bolts, to gate fittings such as escutcheons, gate post caps, gate stops, fabrication accessories and more – whatever you need, we have it! Whether you're looking for a specific size post cap, one of our galvanised drop bolts, or gate stop to ensure your gate remains securely in place, we have all these and much more.

GATEMASTER secure locking drop bolt



A secure locking drop bolt which is easy to fit to the gate with our expanding fasteners. Used on double gates, once the drop bolt is in the ground the locking plate is rotated round the edge of the gate, meaning when the second gate is closed the drop bolt cannot be lifted.



Weather resistant




Easy install fasteners



Reversible handling



Enhances security




AVAILABLE VERSIONS

LDB	Locking drop bolt, aluminium
LDBSS	Locking drop bolt, stainless steel

GATEMASTER auto-locking drop bolt

A substantial drop bolt designed for securing double gates. The Auto-locking drop bolt is lowered and rotated so that the lifting plate folds across the edge of the first gate. The drop bolt is now locked in position, closing the second gate prevents the drop bolt being unlocked.



**ADB (weld fixed)
shown in gate**



Weather resistant



Reversible handling



Enhances security



Vandal resistant



AVAILABLE VERSIONS

ADB	Weld-on
ADBS	Bolt-on

SIGNET

GATEMASTER concealed vertical drop bolt

A very neat drop bolt for double gates which is enclosed within the box section of the gate. Simply cut slots in the gate stile at hand height and at the bottom and weld in the 2 boxes supplied. Once galvanised or painted the drop bolt can be assembled with M10 threaded bar (not supplied). Available in 2 versions for double gates and single gates.



Weather resistant





Easy install fasteners



Reversible handing



Enhances security



AVAILABLE VERSIONS

CDD	Double gate drop bolt
CDS	Single gate drop bolt

Dropbolt galvanised finish

450mm overall length,
16mm diameter bolt..



GDB

Dropbolt galvanised finish

Stainless steel spring dropbolt

For double gates. Simply fit a protruding striker plate on the second gate and closing the gate will shoot the bolt into position.



SDB

Stainless steel spring dropbolt

Heavy padbolt, 210mm overall length

Electrogalvanised finish, bolt dimensions 10mm x 25mm.



HPB

Heavy padbolt

GATEMASTER gate restrainer

The stainless steel gate restrainer is a safety feature that reduces the risk of gates falling in the event of hinge failure. This strong but simple device is an essential safety backup for swing gates when there is potential for the gate hinges to fail and cause fatal harm to pedestrians or damage to property.



Enhances safety



Stainless steel



Enhances security



No fasteners needed



PLEASE NOTE – this solution is based on the assumption that in the event of hinge failure, the edge of the gate will hit the ground before the restrainer comes into play. The device is designed to prevent the gate falling sideways rather than taking its full weight. If the dimension from the bottom of the gate to the ground is longer than the restraining device, the device may not be suitable for your gate.



AVAILABLE VERSIONS

(Based on a maximum gate width of 2.5m)

GRS03	For gates up to 260kg
GRS04	For gates up to 500kg

Gate silencer kit

Ensure quieter gate closing with a gate silencer kit. This is an angled bracket fitted with 2 bump stops which can be easily fitted to existing gates to prevent banging when the gate closes.



GSK

Gate silencer kit

Gate bump stop

These bump stops will reduce the noise of the gate banging shut, ideal for residential areas where noise can disturb the public.



AVAILABLE VERSIONS

BS18	18 diameter x 7mm, M6 x 16 thread
BS50	50 diameter x 30mm, M10 x 25 thread


Gate stop cast



SCHD

Heavy cast stop for bolting to floor

Gate stop floor mounted




SF

Gate stop floor mounted

SIGNET



We supply an electric lock and release range for fitting to gates which require electric access control.




ELECTRIC GATE HARDWARE



If you need security gates and want the best hardware solutions to provide safety and security, we offer a range of reliable hardware. This includes: magnetic locks such as our popular gate maglock system, outdoor grade individual electromagnets, and the electronic strike which works with a range of our bolt-on and weld-in locks. Call our knowledgeable team today for more information on **01243 552066**.

GATEMASTER gate maglock system



This maglock system includes a maglock, fixing brackets and integral pull handles for opening the gate. The simplest way to fit a maglock to a gate.



Weather resistant



Power needed



Enhances security



Screw fixed



EMGK

Gate maglock system

Electromagnet surface fixed

270kg capacity surface fixed.
Dimensions 44 x 230 x 40mm.



EMS270

Electromagnet surface fixed

Electromagnet surface fixed

545kg capacity surface fixed.
Dimensions 63 x 222 x 39mm.



EMS545

Electromagnet surface fixed

Electromagnet brackets

Brackets for use with surface fixed electromagnets.



AVAILABLE VERSIONS

EMS270Z

Brackets for EMS270

EMS545Z

Brackets for EMS545

Electromagnet – mortice

This maglock can be fitted into a slot in a box section gate post. 250kg capacity. Mortice dimensions 36 x 186 x 28mm.




EMM250

Electromagnet for morticing

SIGNET

Electric release, mortice, heavy duty, monitored

Heavy duty electric release that can be used with many of the latching gate locks we supply.



ERHDM Electric release, mortice, heavy duty, monitored

NOTES

NOTES

[illegible][illegible]

GATEMASTER
SUPERLOCK BLD

P6



GATEMASTER
SUPERLOCK DIGITAL

P7



GATEMASTER
SUPERHINGE

P42



GATEMASTER LIGHT
DUTY SPRING CLOSER

P37



GATEMASTER SUPERLOCK
SURFACE FIXED DIGITAL

P17



GATEMASTER SUPERLOCK
QUICK EXIT

P8



Expert advice, quality products,
easy to access online!
www.signetlocks.co.uk



ONLINE ORDERING

Configure and order
all your items via the
website



TECHNICAL HELP

Detailed knowledge at
your fingertips



TRADE PRICES

Set up your trade
account to get the
best prices



PRODUCT NEWS

Be the first to know
about new product
launches.

'ALWAYS ON' 24/7 SO YOU CAN CHECK AND ORDER WHEN IT SUITS YOU.

SiGNET

Unit 5 Dickinson Place
Durban Road Industrial
Estate
Bognor Regis
West Sussex
PO22 9QU



**GATE HARDWARE
EXPERTS SINCE 1995**



Email our dedicated team at
sales@signetlocks.co.uk



Call us today on
01243 552066



Set up your account online at
www.signetlocks.co.uk

